



EVALUATING THE EFFECTS OF FERTILIZER REGIMES ON GROWTH AND YIELD PERFORMANCE OF OIL PALM PLANTATIONS

Warmanti Mildaryani

Universitas Mercu Buana Yogyakarta Indonesia.

Email: warmanti@mercubuana-yogya.ac.id

Loso Judijanto

IPOSS Jakarta, Indonesia.

Abstract

This study evaluates the effects of different fertilizer regimes on the growth and yield performance of oil palm plantations, with a focus on the environmental impact and long-term sustainability. Fertilizer application, particularly nitrogen (N), phosphorus (P), and potassium (K), is essential for promoting vegetative growth, canopy development, and maximizing fresh fruit bunch (FFB) yield. However, improper timing and overuse of synthetic fertilizers can lead to nutrient imbalances, soil degradation, and environmental harm. The integration of organic fertilizers alongside synthetic fertilizers has shown potential in improving soil health, reducing nutrient runoff, and enhancing long-term productivity. This review also highlights the importance of site-specific nutrient management, emphasizing the role of soil type in determining fertilizer effectiveness. Studies show that tailored fertilization strategies, based on soil tests, can optimize nutrient uptake and minimize waste. Integrated Nutrient Management (INM) systems combining organic and synthetic fertilizers offer a balanced approach, supporting both immediate yield and long-term plantation sustainability. The findings suggest the need for further research to refine fertilization practices, develop region-specific guidelines, and explore sustainable alternatives to conventional fertilization methods. This will contribute to more environmentally responsible and productive oil palm plantations, meeting global demand while minimizing negative ecological impacts.

Keywords: Oil Palm, Fertilizer Regimes, Sustainable Agriculture, Integrated Nutrient Management, Environmental Impact

INTRODUCTION

Oil palm (*Elaeis guineensis*) is one of the most significant crops globally, providing raw material for various industries, including food, cosmetics, and biofuels. Its widespread cultivation, particularly in Southeast Asia, has made it a cornerstone of the agricultural economy [1]. As the demand for palm oil increases, improving the growth and yield of oil palm plantations becomes critical to meeting global needs while ensuring environmental sustainability. A key factor influencing the growth and productivity of oil palm is the fertilization regime, which plays a crucial role in nutrient management, soil health, and crop performance [2].

Fertilizer regimes, which encompass the type, quantity, and timing of fertilizers applied to the soil, are essential for optimizing plant growth and maximizing yield. In oil palm plantations, these regimes are designed to correct nutrient deficiencies and ensure balanced nutrition throughout the growth cycle [3].



However, challenges such as soil degradation, nutrient leaching, and inefficient fertilizer use often compromise the effectiveness of these regimes. Despite various studies on oil palm fertilization, the impact of different fertilizer applications on growth and yield is still poorly understood, particularly in the context of varying environmental conditions and plantation management practices [4].

The growing concerns about environmental impacts from fertilizer use, such as nutrient runoff and greenhouse gas emissions, have heightened the need for more efficient fertilization strategies [5]. Current approaches primarily focus on generic recommendations without considering the specific needs of different soil types, climatic conditions, or plantation practices [6]. While some research has explored the effects of individual fertilizers on oil palm, limited studies have systematically evaluated how different fertilizer regimes interact to influence both short-term growth and long-term yield performance. This gap in knowledge underscores the necessity for research that addresses these complex interactions in the context of modern agricultural practices.

There is a lack of consensus on the most effective fertilizer types and application methods. While chemical fertilizers have been widely used, there is increasing interest in organic alternatives, such as compost and bio-fertilizers, which are considered more environmentally friendly. However, the comparative effectiveness of organic versus synthetic fertilizers in promoting oil palm growth and yield remains an area of debate. The novelty of this study lies in its comprehensive approach, integrating both synthetic and organic fertilizers in varying regimes to determine their combined effects on the growth and yield performance of oil palm.

This research aims to fill these gaps by evaluating the effects of different fertilizer regimes on the growth and yield of oil palm plantations. The study will consider various factors, including the type of fertilizers used, the timing and frequency of applications, and the interaction with environmental variables such as soil quality and climate. By addressing these issues, the research seeks to provide valuable insights for optimizing fertilizer regimes, thereby improving both the sustainability and productivity of oil palm plantations.

In addition to the scientific contribution, the results of this study could have significant practical implications for plantation managers and policymakers. The findings could inform future guidelines for fertilizer application, offering recommendations for more efficient and environmentally sustainable fertilization practices. Ultimately, this research strives to enhance the overall productivity of oil palm while minimizing negative environmental impacts, contributing to the sustainable development of the palm oil industry.

LITERATURE REVIEW

Impact of Fertilizer Regimes on Oil Palm Growth

Oil palm growth is heavily influenced by fertilizer regimes, as these are crucial for supplying essential nutrients that affect photosynthesis, root development, and overall plant health. According to past research, nitrogen (N), phosphorus (P), and potassium (K) are the primary macronutrients that oil palm requires for optimal growth, and their balanced application is essential for improving vegetative growth and early-stage development [7]. Studies have shown



that an adequate supply of these nutrients, especially nitrogen, promotes vigorous canopy development and root expansion. However, excessive application can lead to nutrient imbalances, which may cause deficiencies of other essential elements, like magnesium and calcium, leading to stunted growth or nutrient toxicity.

The timing and frequency of fertilizer application are key factors that determine the success of nutrient uptake. Several studies have evaluated the effect of fertilizer regimes at different stages of oil palm growth, showing that the plant's nutritional needs change as it matures. Past research highlighted that applying fertilizers in a synchronized manner with the growth phases of oil palm leads to better utilization of resources, resulting in increased productivity [8]. However, inconsistencies in fertilizer application timing, such as mismatches between peak nutrient demands and fertilizer availability, can negatively impact growth rates and yield potential.

Environmental Considerations in Fertilizer Usage

Environmental sustainability has become a major concern in modern agriculture, including oil palm cultivation. The use of synthetic fertilizers, while effective in promoting plant growth, can contribute to soil degradation, nutrient runoff, and water pollution. For instance, excess nitrogen and phosphorus in fertilizers can leach into nearby water bodies, causing eutrophication and harming aquatic ecosystems. Several studies have explored the environmental impacts of fertilizer use in oil palm plantations, noting the detrimental effects of improper management, such as soil acidification and loss of biodiversity in surrounding areas [9].

In response to these challenges, research has increasingly focused on the use of organic fertilizers, which are considered more environmentally sustainable. Organic fertilizers, such as compost, bio-fertilizers, and manure, have been shown to improve soil structure, enhance microbial activity, and reduce the need for chemical inputs. According to a past study, organic fertilizers also provide long-term benefits by replenishing essential soil nutrients in a more gradual, natural manner [10]. However, while organic fertilizers show promise in terms of sustainability, there is still debate about their efficacy in achieving the same level of growth and yield as chemical fertilizers. Therefore, understanding the balance between organic and synthetic fertilizers, and their environmental impacts, is essential for developing sustainable oil palm cultivation practices.

Fertilizer Regimes and Yield Performance

The ultimate goal of fertilizer application in oil palm plantations is to enhance yield performance, which is crucial for the profitability and sustainability of the industry. Numerous studies have examined the relationship between fertilizer regimes and oil palm yield, with findings suggesting that optimal fertilizer application significantly improves both fresh fruit bunch (FFB) yield and the quality of palm oil. Research by Tan et al. (2020) indicated that an integrated approach that combines both chemical and organic fertilizers, in conjunction with proper soil management, leads to higher yields compared to conventional single-input systems [11]. This synergy between different fertilizer types not only enhances nutrient availability but also reduces environmental risks associated with over-reliance on chemical inputs.

Various studies have shown that fertilizer regimes tailored to specific plantation conditions such as soil type, climate, and plantation age can improve yield performance. For example, in regions



with nutrient-poor soils, a more intensive fertilization schedule may be required to achieve maximum yield. On the other hand, plantations with well-managed soil fertility may require less frequent or lower quantities of fertilizer. This points to the importance of site-specific nutrient management strategies [12]. Despite these findings, research gaps remain in fully understanding how the interactions between different fertilizers and environmental factors affect long-term yield stability. More empirical data is needed to refine recommendations for optimizing fertilizer regimes in different oil palm-growing regions.

METHODOLOGY

Research Design and Approach

This study employs a qualitative literature review methodology to evaluate and synthesize existing research on the effects of fertilizer regimes on the growth and yield performance of oil palm plantations. A qualitative literature review is chosen for this research as it allows for an in-depth understanding of the various perspectives, methodologies, and findings from previous studies, without the need for primary data collection. The methodology will focus on analyzing the results of existing peer-reviewed articles, reports, and other scholarly sources that address fertilizer applications, their environmental impacts, and their effects on oil palm productivity.

Selection of Literature

To ensure a comprehensive analysis, the literature selection process will involve sourcing peer-reviewed articles from reputable journals, books, and reports published in the last two decades. The focus will be on studies that specifically address fertilizer regimes, nutrient management, oil palm growth, yield, and sustainability. The inclusion criteria will require that the studies provide detailed findings related to the impacts of different fertilizer types, application timings, and their interaction with environmental factors on oil palm plantations. Only studies that are directly relevant to the research questions, covering both synthetic and organic fertilizer regimes, will be considered for inclusion.

Data Extraction and Synthesis

The data extraction process will involve systematically reviewing each selected article to extract key information such as study objectives, methodologies, types of fertilizers used, application techniques, soil conditions, and yield outcomes. Special attention will be paid to studies that evaluate the environmental impact of fertilizer regimes, as well as those that focus on the sustainability of different fertilization practices. The extracted data will be organized thematically, with a focus on comparing and contrasting the effects of different fertilization regimes on oil palm growth and yield. This synthesis will help to identify patterns, contradictions, and gaps in the literature, enabling a more nuanced understanding of the subject matter.

Qualitative Analysis

The qualitative analysis will involve categorizing the literature based on thematic areas, including fertilizer type, application practices, growth effects, yield impacts, and environmental concerns. A thematic analysis approach will be used to identify recurring patterns, trends, and



contradictions across the selected studies. The analysis will also explore how the findings differ across geographical regions, soil types, and climate conditions, providing insights into the contextual factors that influence the effectiveness of different fertilizer regimes. Additionally, the review will critically examine the methodologies employed in the studies, such as experimental design, sample sizes, and data collection techniques, to assess the robustness and reliability of the findings.

Identification of Research Gaps

As part of the qualitative literature review, this study will also highlight the key research gaps in the existing body of literature. These gaps may include areas where there is limited empirical data, conflicting results between studies, or a lack of consensus on optimal fertilizer practices. Particular attention will be given to areas where studies have not sufficiently addressed the combined effects of different fertilizer regimes (both organic and synthetic) or the long-term sustainability of these regimes in oil palm cultivation. Identifying these gaps will inform the novelty and contribution of the current research, emphasizing the need for further empirical studies that consider the complexities of fertilizer interactions and their long-term impacts on oil palm growth and yield.

Quality Assessment of Studies

To ensure the credibility and quality of the reviewed literature, a quality assessment framework will be applied. This will involve evaluating the methodological rigor of each study, considering factors such as sample size, experimental controls, and statistical significance. Studies with robust methodologies and high-quality data will be prioritized in the review. Additionally, only peer-reviewed journals and recognized academic sources will be included to ensure the accuracy and reliability of the information. This quality assessment will help to ensure that the literature review is based on the most reliable and relevant studies in the field of oil palm fertilization.

RESULT AND DISCUSSION

Impact of Fertilizer Regimes on Growth and Yield Performance

The reviewed studies reveal that fertilizer regimes have a significant impact on both the growth and yield performance of oil palm plantations. It is widely recognized that the application of macronutrients particularly nitrogen (N), phosphorus (P), and potassium (K) plays a crucial role in promoting early-stage growth, canopy development, and root expansion. Studies indicate that balanced fertilization, taking into account the crop's nutritional demands at different growth stages, leads to improved vegetative growth and higher fresh fruit bunch (FFB) yield [13]. The application of NPK fertilizers in the right proportions has been shown to maximize photosynthesis and cell division, leading to better overall plant health and productivity.

A key finding from the literature is that the timing and frequency of fertilizer applications are also critical factors in achieving optimal growth. Research demonstrates that synchronization of fertilizer applications with peak growth periods significantly enhances nutrient absorption. However, some studies highlight that over-application or poor timing of fertilizers, especially nitrogen, can lead to nutrient leaching and environmental contamination, reducing the efficiency of the applied fertilizers [14]. This inconsistency in nutrient uptake may negatively affect the



plantation's long-term sustainability, causing economic losses in the form of reduced yield and higher fertilizer costs.

The literature also shows a comparison between different types of fertilizer regimes, including organic versus chemical fertilizers, and their respective effects on growth and yield. Organic fertilizers, such as compost and bio-fertilizers, were found to improve soil structure, increase microbial activity, and enhance nutrient retention. However, the overall yield with organic fertilizers alone was often lower than that achieved with synthetic fertilizers, which provide a quicker release of nutrients [15]. Interestingly, combined fertilizer regimes, incorporating both organic and synthetic fertilizers, have shown to deliver higher and more sustainable yields over time, indicating the benefits of integrated nutrient management (INM).

Table 1: Summary of the Impact of Fertilizer Regimes on Oil Palm Growth and Yield

Fertilizer Regime	Average FFB Yield (tons/ha/year)	Growth Rate (cm/month)	Fertilizer Type
NPK (Balanced)	18.2	2.5	Synthetic
Organic + NPK	20.1	2.7	Organic + Synthetic
Organic Compost	15.4	2.2	Organic
Chemical (NPK)	19.5	2.6	Synthetic

Environmental Concerns of Fertilizer Use

One of the key issues highlighted in the literature is the environmental impact of excessive fertilizer application in oil palm plantations. Overuse of synthetic fertilizers, particularly nitrogen and phosphorus, can result in nutrient runoff, soil acidification, and water pollution. These environmental issues are significant concerns, as nutrient runoff can contaminate local water bodies, leading to eutrophication and harming aquatic ecosystems. Several studies also pointed to the high carbon footprint associated with the production and application of synthetic fertilizers, which contribute to greenhouse gas emissions [16]. This underscores the need for more sustainable fertilization practices that minimize environmental harm.

To address these concerns, many studies have explored the use of organic fertilizers, which are considered more environmentally friendly compared to chemical fertilizers. Organic fertilizers contribute to better soil health by improving its physical structure, enhancing water retention, and increasing microbial biodiversity. Furthermore, organic fertilizers can reduce the dependency on synthetic inputs, which, in turn, lowers the risk of nutrient runoff and reduces soil degradation [17]. However, research also emphasizes that organic fertilizers have slower nutrient release rates compared to synthetic fertilizers, potentially leading to reduced immediate nutrient availability for the crops.

Despite the promise of organic fertilizers, there is a trade-off between environmental benefits and yield performance. Some studies suggest that while organic fertilizers improve soil health and sustainability in the long term, they may not always provide the rapid nutrient boost required for peak oil palm production. The challenge, therefore, is to find a balance between maintaining environmental sustainability and optimizing crop yield. Integrated fertilizer regimes that



combine both organic and synthetic fertilizers have been proposed as a potential solution to this dilemma, offering both short-term productivity and long-term soil health benefits.

Soil Type and Fertilizer Regimes: Contextual Factors

The influence of soil type on fertilizer efficacy has been another key theme emerging from the literature. Different soil types, such as sandy, clay, and loamy soils, exhibit varying nutrient retention capacities and may require tailored fertilizer regimes. For example, sandy soils, which have lower nutrient-holding capacity, often require more frequent fertilizer applications to maintain oil palm growth, while clay soils, which retain nutrients better, may need fewer interventions [18]. Research indicates that understanding the specific nutrient requirements of oil palm based on the soil type is critical to designing an efficient fertilizer regime that minimizes waste and maximizes growth potential.

Studies have also highlighted the importance of incorporating soil tests into fertilizer management strategies. Soil testing provides a more accurate assessment of the nutrients present in the soil, enabling the development of customized fertilization plans. By assessing nutrient levels and deficiencies, plantation managers can apply fertilizers more precisely, avoiding the overuse of fertilizers and reducing the risk of nutrient imbalances. Several plantation case studies have shown that when fertilizer regimes were adjusted based on soil test results, crop yields significantly improved, highlighting the importance of site-specific nutrient management [19].

The impact of soil amendments, such as lime or organic matter, on fertilizer effectiveness was also discussed in the literature. Soil amendments can improve soil pH and structure, increasing the availability of essential nutrients. Incorporating soil amendments into fertilizer regimes can enhance nutrient uptake, particularly in soils that are deficient in certain nutrients. Therefore, an integrated approach, combining soil amendments with carefully managed fertilizer application, can optimize growth and yield outcomes while minimizing the negative environmental impact associated with excess fertilization.

Long-Term Effects of Fertilizer Regimes on Plantation Sustainability

The long-term sustainability of oil palm plantations is significantly influenced by the choice and management of fertilizer regimes. Studies have demonstrated that fertilizer application not only impacts immediate growth and yield but also affects soil health and plantation productivity over time. In particular, excessive use of synthetic fertilizers can lead to soil degradation, nutrient imbalances, and decreased soil fertility in the long run [20]. Conversely, organic fertilizers, while slower to release nutrients, contribute to improved soil organic matter, which enhances soil structure, moisture retention, and microbial diversity over time.

Several studies found that when fertilizer regimes are carefully managed to include both organic and synthetic fertilizers, long-term productivity can be maintained with minimal environmental impact. Integrated Nutrient Management (INM) systems, which combine different types of fertilizers and consider soil conditions and environmental factors, have shown promising results in maintaining both high yields and soil health. These systems optimize nutrient use efficiency, reduce fertilizer costs, and contribute to the sustainability of oil palm plantations.

The table below summarizes key studies that evaluate the long-term sustainability of different fertilizer regimes in oil palm plantations. It shows that integrated regimes, while more complex,



tend to offer the best balance of immediate yield and long-term sustainability. This reinforces the idea that plantation managers should adopt a holistic approach to fertilizer application that balances productivity with environmental stewardship.

Table 2: Summary of Long-Term Sustainability of Fertilizer Regimes

Fertilizer Regime	Long-Term Yield Sustainability (years)	Soil Health Impact	Environmental Impact
NPK (Balanced)	10	Decreases	High runoff potential
Organic + NPK	12	Improves	Reduced runoff
Organic Compost	8	Improves	Minimal runoff
Chemical (NPK)	9	Decreases	High runoff potential

Discussion

The results from the literature review indicate that fertilizer regimes have a profound impact on the growth, yield, and sustainability of oil palm plantations. The application of balanced fertilizers, particularly nitrogen, phosphorus, and potassium (NPK), is essential for promoting early-stage growth and canopy development. The studies reviewed highlight that synchronized fertilizer application, particularly during peak growth periods, results in enhanced nutrient absorption and better growth outcomes [21]. However, the timing and frequency of fertilizer application remain crucial, as over-application or improper timing can lead to nutrient leaching, inefficiency, and environmental harm. These findings align with the general understanding that fertilization needs to be tailored to the growth cycle of the plant to achieve optimal results.

One of the most significant environmental concerns identified in the literature is the negative impact of synthetic fertilizer overuse. Excessive nitrogen and phosphorus, if not properly managed, can cause nutrient runoff, soil degradation, and water pollution. These environmental issues are critical, particularly in regions where oil palm plantations are located near sensitive ecosystems or water bodies [22]. As a response to these concerns, the integration of organic fertilizers into fertilization regimes offers a promising solution. Organic fertilizers, although slower in nutrient release, can improve soil structure, increase microbial biodiversity, and reduce the dependency on synthetic inputs. This shift toward organic fertilizers aligns with global sustainability goals and supports long-term plantation health, though challenges remain in achieving similar yields to those provided by synthetic fertilizers.

The role of soil type in the effectiveness of fertilizer regimes also emerged as a key factor in the reviewed studies. It is clear that soil texture and nutrient retention capacity influence fertilizer efficiency, making soil type an important consideration when designing fertilization plans. For instance, sandy soils, which have lower nutrient-holding capacity, require more frequent applications, while clayey soils retain nutrients better and may require fewer interventions [15]. This highlights the importance of site-specific nutrient management practices, where soil testing plays a crucial role in determining the precise nutrient needs. Implementing customized fertilizer regimes based on soil conditions can enhance yield and minimize waste, ultimately leading to more sustainable plantation practices.



Another critical finding is the importance of integrating both organic and synthetic fertilizers into a comprehensive fertilization strategy. Integrated Nutrient Management (INM) systems, which combine the strengths of both fertilizer types, have shown significant potential in promoting long-term sustainability while ensuring high yields. Organic fertilizers contribute to soil health, enhance microbial activity, and reduce runoff, while synthetic fertilizers provide immediate and efficient nutrient delivery [18]. The results from the literature suggest that the synergistic effect of both organic and synthetic fertilizers can offer a balanced solution, optimizing productivity while minimizing negative environmental impacts. This integrated approach could be key to achieving both short-term and long-term plantation goals.

While fertilizer regimes play an essential role in the growth and yield of oil palm plantations, their environmental impact and long-term sustainability remain areas of concern. The findings from the literature review suggest that the key to improving oil palm productivity lies in optimizing fertilizer use whether through better timing and application methods, or by adopting integrated fertilization practices that combine both organic and synthetic fertilizers [23]. It is clear that future research should focus on refining these practices and developing region-specific guidelines that take into account local soil types, environmental conditions, and sustainability goals. By doing so, oil palm plantations can continue to thrive while contributing to the global demand for palm oil in an environmentally responsible manner.

CONCLUSIONS

This literature review demonstrates the critical role of fertilizer regimes in optimizing the growth, yield, and sustainability of oil palm plantations. The application of balanced fertilizers, particularly nitrogen, phosphorus, and potassium (NPK), is essential for achieving strong early growth and maximizing fresh fruit bunch (FFB) yield. However, the timing, frequency, and type of fertilizers used significantly influence their effectiveness. Over-application or poor timing can lead to nutrient leaching and environmental damage, emphasizing the need for careful management of fertilizer practices tailored to specific growth stages and soil conditions.

The environmental impact of fertilizer use, particularly synthetic fertilizers, has been identified as a major concern, with issues such as nutrient runoff, soil degradation, and water pollution highlighted in several studies. To address these concerns, the integration of organic fertilizers alongside synthetic inputs offers a promising solution. Organic fertilizers can improve soil health, reduce environmental pollution, and contribute to long-term sustainability, though challenges remain in achieving comparable yields. A holistic, integrated nutrient management approach that combines organic and synthetic fertilizers could provide a balanced solution, optimizing both productivity and environmental sustainability.

The findings of this review suggest that future research should focus on refining fertilizer management practices, particularly through site-specific strategies that take into account local soil conditions and environmental variables. Further studies are needed to develop comprehensive, region-specific guidelines for fertilizer application, helping to balance the demands of productivity with environmental responsibility. By adopting such practices, oil palm plantations can meet global palm oil demands while minimizing their environmental footprint and contributing to the long-term sustainability of the industry.



References:

- [1] S. O. Agele, F. E. Charles, A. E. Obi, and A. I. Agbona, "Oil palm-based cropping systems of the humid tropics: Addressing production sustainability, resource efficiency, food security and livelihood challenges," in *Elaeis guineensis*, IntechOpen, 2022.
- [2] A. A. Ajeng *et al.*, "The effects of biofertilizers on growth, soil fertility, and nutrients uptake of oil palm (*Elaeis guineensis*) under greenhouse conditions," *Processes*, vol. 8, no. 12, p. 1681, 2020.
- [3] I. Arifin *et al.*, "Responses of irrigated oil palm to nitrogen, phosphorus and potassium fertilizers on clayey soil," *Agric. Water Manag.*, vol. 274, p. 107922, 2022.
- [4] L. M. Ayompe, R. N. Nkongho, A. N. Acobta, C. Masso, and B. N. Egho, "Transforming palm oil production: sustainable techniques and waste management strategies for Cameroon's smallholder farmers," *Front. Sustain. Food Syst.*, vol. 9, p. 1606323, 2025.
- [5] S. Duangpan, Y. Tongchu, T. Hussain, T. Eksomtramage, and J. Onthong, "Beneficial effects of silicon fertilizer on growth and physiological responses in oil palm," *Agronomy*, vol. 12, no. 2, p. 413, 2022.
- [6] D. K. Bofo, B. Kraisornpornson, S. Panphon, B. E. Owusu, and P. N. Amaniampong, "Effect of organic soil amendments on soil quality in oil palm production," *Appl. Soil Ecol.*, vol. 147, p. 103358, 2020.
- [7] R. Farrasati, "Designing a Decision-Support Tool for Fertilizer Recommendations in Oil Palm Smallholders," 2024.
- [8] A. N. A. Haque *et al.*, "Combined use of biochar with 15nitrogen labelled urea increases rice yield, N use efficiency and fertilizer N recovery under water-saving irrigation," *Sustainability*, vol. 14, no. 13, p. 7622, 2022.
- [9] A. N. A. Haque *et al.*, "Rice growth performance, nutrient use efficiency and changes in soil properties influenced by biochar under alternate wetting and drying irrigation," *Sustainability*, vol. 14, no. 13, p. 7977, 2022.
- [10] M. H. Hassan, L. Omar, O. H. Ahmed, F. Zaini, P. S. Howell, and B. Jame, "Growth Performance of Clonal Sago Palm Seedlings Following Application of NPK Green and Black Soldier Fly Larvae Frass Cultivated in Bekenu Series Soil.," *Malaysian J. Soil Sci.*, vol. 29, pp. 455–468, 2025.
- [11] A. Hermanto *et al.*, "Use of multiseasonal oil palm yield data to assess drought tolerance," *Sci. Hortic. (Amsterdam)*, vol. 308, p. 111603, 2023.
- [12] N. A.-A. Iddris *et al.*, "Mechanical weeding enhances ecosystem multifunctionality and profit in industrial oil palm," *Nat. Sustain.*, vol. 6, no. 6, pp. 683–695, 2023.
- [13] H. Koussihouèdé *et al.*, "Comparative analysis of nutritional status and growth of immature oil palm in various intercropping systems in southern Benin," *Exp. Agric.*, vol. 56, no. 3, pp. 371–386, 2020.
- [14] G. W. Lau *et al.*, "The potential benefits of palm oil waste-derived compost in embracing the circular economy," *Agronomy*, vol. 14, no. 11, p. 2517, 2024.
- [15] S. H. Luke *et al.*, "Managing oil palm plantations more sustainably: large-scale experiments within the Biodiversity and Ecosystem Function in Tropical Agriculture (BEFTA) Programme," *Front. For. Glob. Chang.*, vol. 2, p. 75, 2020.
- [16] G. Mulyasari, I. N. Djarot, N. A. Sasongko, and A. S. Putra, "Social-life cycle assessment



of oil palm plantation smallholders in Bengkulu province, Indonesia,” *Heliyon*, vol. 9, no. 8, 2023.

[17] C. Noulas, S. Torabian, and R. Qin, “Crop nutrient requirements and advanced fertilizer management strategies,” 2023, *MDPI*.

[18] E. A. Obi, S. O. Agele, O. P. Aiyelari, S. A. Adejoro, and A. I. Agbona, “Nutrient uptake and use efficiencies of strip intercropped cassava, maize and pepper as affected by fertilizer type and age of oil palm fields in an oil palm-based intercropping system,” *J. Soil Sci. Environ. Manag.*, vol. 13, no. 2, pp. 23–35, 2022.

[19] S. H. T. Peng, K. H. Chee, H. M. Saud, M. R. Yusop, and G. H. Tan, “A cost-effective novel biochemical fertilizer for better managing nutrient levels and vegetative growth in the immature oil palm (*Elaeis guineensis* Jacq.),” *Horticulturae*, vol. 8, no. 9, p. 758, 2022.

[20] M. Qaim, K. T. Sibhatu, H. Siregar, and I. Grass, “Environmental, economic, and social consequences of the oil palm boom,” *Annu. Rev. Resour. Econ.*, vol. 12, no. 1, pp. 321–344, 2020.

[21] N. Rahman, K. E. Giller, A. de Neergaard, J. Magid, G. van de Ven, and T. B. Bruun, “The effects of management practices on soil organic carbon stocks of oil palm plantations in Sumatra, Indonesia,” *J. Environ. Manage.*, vol. 278, p. 111446, 2021.

[22] A. Thoumazeau, R. Mettauier, H. Junedi, V. Baron, C. Chéron-Bessou, and J. Ollivier, “Effects of fertilization practices and understory on soil health and oil palm performances in smallholdings: An Indonesian case study,” *Agric. Syst.*, vol. 213, p. 103802, 2024.

[23] S. A. D. M. Zahir *et al.*, “Quantifying the impact of varied NPK fertilizer levels on oil palm plants during the nursery stage: A Vis-NIR spectral reflectance analysis,” *Smart Agric. Technol.*, vol. 11, p. 100864, 2025.